

MIL-STD-498 INDEX

Application & Reference INDEX

Overview & Tailoring INDEX

This combined index covers the primary sources of information about an item in MIL-STD-498 and its DIDs, MIL-STD-498 Application and Reference Guidebook, and MIL-STD-498 Overview and Tailoring Guidebook. References to definitions are indicated in **magenta**, references to MIL-STD-498 and its DIDs are indicated in **green**, references to MIL-STD-498 Application and Reference Guidebook are indicated in **dark red**, and references to MIL-STD-498 Overview and Tailoring Guidebook are indicated in **cyan**. To access the complete index for each of the three documents, click on the appropriate index title above.

- acceptance **3.1**; **5.1**
- access for acquirer review **4.2.7**; **5.2**; **5.4.18.e**
- acquirer (use of term "acquirer" in MIL-STD-498) **3.2**; **4.12.a**, **4.13**; **4.3.1.a**, **Fig 9**
- acquisition phases/acquisition strategies **4.7** (also see program strategies)
- acronyms **Appendix A**; **Appendix A**; **Appendix A**
- Ada **5.37**
- application of MIL-STD-498 **1.2**; **5**, **5.4**
- approval (by the acquirer) **3.3**; **5.3**
- architecture **3.4** (also see CSCI architectural design, system architectural design)
- "as built" design descriptions **5.1**
- associate developer **3.5**, **5.19.6**
- assurance **4.2.4** (also see critical requirements, software quality assurance)
 - privacy assurance **4.2.4.3**
 - safety assurance **4.2.4.1**
 - security assurance **4.2.4.2**
- audits (configuration audits) **5.14.4**; **4.3.3**
- behavioral design **3.6**; **5.5**
- builds **3.7**, **G.3**; **4.5**, **5.6**; **4.3.2.b**, **5.4.6**, **5.4.7**
 - build planning guidance **G.6**
- category classifications for problem reporting **C.3**, **Fig 4**
- code standards **5.67**
- coding (see software implementation and unit testing)
- commercial off-the-shelf (COTS) software products **5.8**, **5.40** (also see reuse, reusable software products)
- compilers, compilation/build procedures **3.38**
- computer-aided software engineering (CASE) **5.7**; **4.3.4**
- computer center, software center **SCOM**, **SIOM**
- computer hardware **3.9**
- computer hardware characteristics **SSDD 4.1**
- computer hardware resource utilization **4.2.5**, **SPS 5.4**; **5.9**
- Computer Operation Manual (COM) **5.12.3.4**, **COM**; **5.66**; **Fig 7**, **Fig 8**
- computer program **3.10**
- Computer Programming Manual (CPM) **5.13.6.1**, **CPM**; **5.62**; **Fig 7**, **Fig 8**
- Computer Software Configuration Item (CSCI) **3.12**; **4.3.10**
 - CSCI architectural design **5.6.2**, **SDD 4**; **5.4**
 - CSCI detailed design **5.6.3**, **SDD 5**; **5.20**
 - CSCI/HWCI integration and testing **5.10**; **5.71**
 - CSCI qualification testing **3.28**, **5.9**, **5.9.5**, **STD**, **STP**, **STR**; **5.38**
 - CSCI requirements **5.5**; **5.41** (also see software requirements analysis, Software Requirements Specification, Interface Requirements Specification)
 - CSCI-wide design decisions **5.6.1**; **5.9** (also see behavioral design)
- configuration item **3.13**
- configuration management (see software configuration management)
- contract **1.2.2**; **5.10**, **5.69**; **4.3.1**, **Fig 9**, **5.2**
 - monitoring contract performance **5.4.18**
- Contract Data Requirements List (CDRL) **4.12.b**, **5.1.2**; **Fig 9**, **4.3.1.b**
- DD Form 1423 **Fig 32**
- ordering software via the CDRL **4.3.16**
- preparing the CDRL **5.4.15**
- contract line item number (CLIN) **5.11**
- contracting agency (see acquirer)
- contractor (see developer)
- conversion guide from DOD-STD-2167A and DOD-STD-7935A **Appendix I**
- corrective action, corrective action system **5.17**, **Appendix C**; **5.12** (also see problem reporting)
- cost
 - cost estimation **5.13**
 - cost/schedule reporting, cost/schedule risks **6.6**; **5.44**
- critical requirements **4.2.4**; **5.14**
- critical requirements reviews **E.4.11**
- privacy assurance **4.2.4.3**
- safety assurance **4.2.4.1**
- security assurance **4.2.4.2**

- Data Accession List **5.15**
- data elements/data element assemblies **5.16**
- Data Item Description (DID) **6.2, Appendix H; 4.4; Fig 12**
 - alternative locations (DIDs) for deliverable information **Fig 53**
 - ordering software via the CDRL **4.3.16**
 - overview of the MIL-STD-498 DIDs **4.2.4, Fig 8**
 - tailoring DIDs **5.3.1, 5.4.8**
- data rights **5.18** (also see licenses, licensing)
- data standardization, standard data descriptions **5.19**
- database **3.14, 3.15; 5.17; 4.3.11**
- database design, Database Design Description (DBDD) **5.4.1, 5.6.1, 5.6.3, DBDD; 5.16; Fig 7, Fig 8**
- database management system **3.15**
- DD Form 1423 **Fig 32**
- DD Form 250 **Fig 10**
- define (interpretation of "define" in MIL-STD-498) **1.2.4.3**
- definitions of software product evaluation criteria **D.4**
- definitions of terms **3**
- deliverables, deliverable software products **3.16; 4.10.1; Fig 12, 5.4.10, 5.4.11, Fig 50, 5.4.12, 5.4.13, 5.4.14**
 - alternative locations (DIDs) for deliverable information **Fig 51**
 - guidance on ordering deliverables **Appendix H**
 - scheduling deliverables **5.4.14**
 - sequential versus incremental/overlapping delivery of software products **5.4.14**
- design **3.17; 4.3.9, Fig 17** (also see "as built" design descriptions, behavioral design, CSCI architectural design, CSCI detailed design, CSCI-wide design decisions, Database Design Description, Interface Design Description, software design, Software Design Description, system architectural design, System/Subsystem Design Description, system-wide design decisions)
 - detailed design **5.20**
- detailed requirements of MIL-STD-498 **5; 4.2.3**
- develop (interpretation of "develop" in MIL-STD-498) **1.2.4.3**
- developer (use of "developer" in MIL-STD-498) **3.18; 4.12.a; 4.3.1.a, Fig 9**
- developmental configuration **4.3.14**
- development strategy (see Evolutionary program strategy, Incremental program strategy, Spiral development mode, Waterfall development model)
- documentation **3.19; Fig 12** (also see Data Item Description)
 - preparing documents **5.21**
 - recording information **5.22**
- DoD policy **4.14**
- DOD-STD-1703 **Foreword-3; 4.1.1.c**
- DOD-STD-2167A **Foreword-3; 4.1.1.a, 4.4**
 - issues identified in applying DOD-STD-2167A **4.1.2, Fig 2**
 - mapping between MIL-STD-498 DIDs and DOD-STD-2167A DIDs **Fig 16, Fig 17; Fig 27, Fig 28**
 - mapping of key MIL-STD-498 terms to DOD-STD-2167A **Fig 14; Fig 25**
- DOD-STD-2168 **4.3.13**
 - mapping between DOD-STD-2168 and MIL-STD-498 **Appendix B**
- DOD-STD-7935A **Foreword-3; 4.1.1.a, 4.4**
 - mapping between MIL-STD-498 DIDs and DOD-STD-7935A DIDs **Fig 15, Fig 17; Fig 26, Fig 28**
 - mapping of key MIL-STD-498 terms to DOD-STD-7935A **Fig 14; Fig 25**
- DoDI 5000.2 **4.1.3.a**
- DoDI 8120.2 **4.1.3.a**
- dry run of qualification tests **5.9.4, 5.11.4**
- error reporting (see problem reporting)
- evaluation **3.20** (also see Independent Verification and Validation, software product evaluation, software quality assurance)
- Evolutionary program strategy **G.3, Fig 7; 4.6.c; 5.4.2.a, Fig 33, Fig 39**
- executable software **5.23**
 - preparing the executable software for software transition **5.13.1**
 - preparing the executable software for software use **5.12.1**
- firmware **3.21**
- Firmware Support Manual (FSM) **5.13.6.2, FSM; 5.62; Fig 7, Fig 8**
- formal reviews and audits **4.3.3**
- forward engineering **3.29; 5.40.1**
- general requirements of MIL-STD-498 **4; 4.2.2**
- Grand Design program strategy **G.3, Fig 7; 4.6.a; 5.4.2.a, Fig 33, Fig 37**
- Hardware Configuration Item (HWCI) **3.22, 4.1**
- hardware-software systems **4.8.a; 4.3.5, Fig 13**
- implementation (see software implementation and unit testing)
- Incremental program strategy **G.3, Fig 7; 4.6.b; 5.4.2.a, Fig 33, Fig 38**
- independence
 - independence in software product evaluation **5.15.3**
 - independence in software quality assurance **5.16.3**
 - independence in qualification testing **5.9.1, 5.11.1**

- Independent Verification and Validation (IV&V) **3.23; 5.24**
- in-house development **5.25**
- in-process and final software product evaluations **5.15.1**
- installation
 - installation at the support site **5.26**
 - installation at user sites **5.12.4, SIP; 5.27**
 - software installation planning **5.1.4, SIP**
- Integrated product team (IPT) **5.28**
- integration (see CSCI/HWCI integration and testing, unit integration and testing)
- interface(s) **3.24; 5.29**
 - interface design, Interface Design Description (IDD) **5.4.1, 5.4.2, 5.6.1, 5.6.2, 5.6.3, IDD; 5.29; Fig 7, Fig 8**
 - interface requirements, Interface Requirements Specification (IRS) **5.3.3, 5.5, IRS; 5.29; Fig 7, Fig 8**
- Internet (useful Internet addresses) **Appendix C**
- joint technical and management reviews **3.25, 5.18; 5.30; 4.3.3, 5.4.18.a, Fig 58**
 - candidate joint management reviews **Appendix E**
- key decisions (recording rationale for key decisions) **4.2.6; 5.39**
- key word listing in MIL-STD-498 **6.8**
- key terms (mapping of key MIL-STD-498 terms to DOD-STD-2167A, DOD-STD-7935A **Fig 14**)
- licenses, licensing **5.31** (also see data rights)
- life cycle **5.57**
- maintenance (see software support)
- management indicators (see software management indicators)
- methods/procedures/tools **5.52**
- metrics (see software management indicators)
- MIL-STD-498 **Executive Overview**
 - approval of MIL-STD-498 **4.1**
 - intended use **4**
 - key concepts of MIL-STD-498 **4.3**
 - objectives of MIL-STD-498 **4.1**
 - organization of MIL-STD-498 **4.2.1, Fig 4**
 - overview of MIL-STD-498 **4.2**
 - overview of MIL-STD-498 detailed requirements **4.2.3, Fig 6**
 - overview of MIL-STD-498's general requirements **4.2.2, Fig 5**
 - overview of the MIL-STD-498 DIDs **4.2.4, Fig 7, Fig 8**
 - ways of applying MIL-STD-498 **4.11**
- non-deliverable software products **3.26, 5.2.5; 4.10.1; Fig 12**
- non-developmental item (NDI)/non-developmental software (NDS) (see reusable software products)
- non-hierarchical methods **4.3.10**
- Notes **6**
- object-oriented methods **4.3.10**
- operational concept, Operational Concept Description (OCD) **5.3.2, OCD; 5.32; Fig 7, Fig 8**
 - operational concept reviews **E.4.2**
- oversight **5.33**
- participate (in system-level activities) **4.3.5.b**
- participate (interpretation of "participate" in MIL-STD-489) **1.2.4.2**
- planning (see project planning, software development planning, software installation planning, software transition planning, testing - software test planning)
- policy (see DoD policy)
- privacy **4.2.4.3, 5.19.3; 5.47**
- problem category and priority classifications **C.4, Fig 5; 5.34** (also see corrective action)
- problem reporting, problem/change reports **5.17.1, Appendix C, Fig 4, Fig 5; 5.35**
- process **3.27**
- process improvement **5.19.7; 5.36**
- program (computer program) **3.10**
- program strategies **Appendix G, Fig 7, Fig 8; 4.6**
- programming languages **5.37**
- project planning **5.1** (also see software development planning and software project folders)
- proposals **5.4.16**
- qualification testing **3.28, 5.9, 5.11; 5.38** (also see CSCI qualification testing, system qualification testing)
- quality assurance (see software quality assurance)
- rationale (recording rationale) **5.39**
- record (interpretation of "record" in MIL-STD-498) **1.2.4.4**
- redocumentation **3.29; 5.40.1**
- reengineering **3.29, Fig 12; 5.40; 4.3.7, Fig 15**
- release (of software) (see Software Version Description, version/revision/release)
- request for proposal (RFP) **4.11**
- requirements **3.30; 5.41; 4.3.9, Fig 17** (also see Software Requirements Specification, System/Subsystem Specification, traceability)
 - MIL-STD-498 "shell" requirements **5.4.10, Fig 49**
- requirements of the standard **5.42**
- resource utilization (see computer hardware resource utilization)

- restructuring **3.29**; **5.40.1**
- retargeting **3.29**; **5.40.1**
- reuse, reusable software products **3.31**, **4.2.3**;
4.10.3, **5.8**, **5.43**; **4.3.7**, **Fig 15**
 - developing reusable software products **4.2.3.2**
 - evaluating reusable software products **B.3**
 - incorporating reusable software products **4.2.3.1**,
Appendix B, **Fig 3**; **5.43**
- reverse engineering **3.29**
- reviews (see formal reviews and audits, joint
technical and management reviews)
- revision and retesting **5.7.4**, **5.8.3**, **5.9.6**, **5.10.3**,
5.11.6 (also see Software Version
Description, testing, version/revision/release)
- risk management, risk analysis **5.19.1**; **5.44**
- safety **4.2.4.1**; **5.45**
- schedules **5.46**
 - cost/schedule reporting, cost/schedule risks **6.6**
 - guidance on scheduling activities **G.6.4**
 - guidance on scheduling deliverables **H.4**; **5.4.14**
- scope of MIL-STD-498 **1**
- security **4.2.4.2**, **5.19.3**; **5.47**
- software **3.32**
 - guidance on how to order software **4.3.16**
 - software types **5.4.5**
- Software Center Operator Manual (SCOM) **5.12.3.3**,
SCOM; **5.66**; **Fig 7**, **Fig 8** (also see Software
Input/Output Manual, Software User Manual)
- software configuration management **5.14**; **5.48**, **5.51**;
4.3.14
 - configuration audits **5.14.4**
 - configuration control, author control, project-level
control, acquirer control **5.14.2**
 - configuration identification **5.14.1**
 - configuration status accounting **5.14.3**
 - packaging, storage, handling, and delivery (of
software products) **5.14.5**
- software design, Software Design Description (SDD)
3.17, **5.6**, **SDD**; **5.20**, **5.21**, **5.22**, **5.29.1**;
Fig 7, **Fig 8**, **4.3.9**, **Fig 17**, **4.3.10** (also see “as
built” design descriptions, behavioral design,
CSCI architectural design, CSCI detailed design,
CSCI-wide design decisions, Database Design
Description, Interface Design Description,
system architectural design, System/Subsystem
Design Description, system-wide design
decisions)
 - software design reviews **E.4.6**
- software development (meaning of term “software
development” in MIL-STD-498) **1.2.1**, **3.33**
- software development environment **5.2**; **5.49** (also
see software engineering environment, software
test environment)
 - software development files (SDF) **3.34**, **5.2.4**;
5.50
 - software development library (SDL) **3.35**, **5.2.3**;
5.51;
 - software development methods **4.2.1**; **5.52**; **4.3.10**
 - software development planning, Software
Development Plan (SDP) **5.1.1**, **SDP**; **5.53**;
Fig 7, **Fig 8**, **4.3.18**, **5.2**
 - evaluating SDPs **5.4.17**
 - including SDP preparation in Instructions to Bidders
5.4.16
 - requiring adherence to the SDP **5.4.16.d**
 - software development process **3.36**, **4.1**,
Appendix G; **5.36**, **5.54**
 - software engineering **3.37**
 - software engineering environment (SEE) **3.38**, **5.2.1**;
4.10.4, **5.55**
 - software implementation and unit testing **5.7**; **5.56**
 - Software Input/Output Manual (SIOM) **5.12.3.2**,
SIOM; **5.66**; **Fig 7**, **Fig 8**
 - software installation planning, Software
Installation Plan (SIP) **5.1.4**, **SIP**; **5.27**;
Fig 7, **Fig 8**, **4.3.18**
 - software maintenance (see software
modification, software support)
 - software management indicators **5.19.2**, **Appendix F**;
5.58; **4.3.6**
 - software modification **5.61**; **4.3.7**, **Fig 15** (also see
software support)
 - software plan reviews **E.4.1**
 - software products **3.39**; **Fig 12**, **5.4.11**
 - software product evaluation **5.15**, **Appendix D**, **Fig 6**;
5.59; **4.3.12**, **4.3.13**
 - independence in software product evaluation
5.15.3
 - in-process and final software product evaluations
5.15.1
 - software product evaluation criteria **5.15.1**, **Fig 6**,
D.4
 - software product evaluation records **5.15.2**
 - software products subject to evaluation **D.3**,
Fig 6
 - Software Product Specification (SPS) **5.12.1**, **5.13.1**,
5.13.2, **5.13.4**, **SPS**; **5.62**; **Fig 7**, **Fig 8**
 - software quality **3.40**
 - software quality assurance **5.16**; **5.60**; **4.3.13**,
Appendix B
 - independence in software quality assurance
5.16.3
 - software quality assurance evaluations **5.16.1**
 - software quality assurance records **5.16.2**
 - software requirements, Software Requirements
Specification (SRS) **5.5**, **SRS**; **5.41**; **Fig 7**,
Fig 8, **4.3.9**, **Fig 17**
 - software requirements analysis **5.5**
 - software requirements review **E.4.5**

- software support **3.41, STRP; 5.61; 4.3.8, Fig 16, 5.4.4** (also see maintenance, software modification)
- support agency **4.12.a, 5.61; 4.3.1.a, Fig 8**
- support concept **5.61; 5.4.4**
- support environment **5.26**
- support manuals **5.13.6; 5.62**
- support site **5.13.7**
- supportability reviews **E.4.10**
- software systems **3.42; 4.8.b; 4.3.5, Fig 13**
- software testing (see testing)
- software test environment (STE) **3.43; 4.10.4, 5.63**
- software transition **3.44; 5.64**
 - software transition planning, Software Transition Plan (STRp) **5.1.5, STRP; 5.26, 5.64; Fig 7, Fig 8, 4.3.18**
 - software transition (preparing for) **5.13**
- software unit **3.45; 5.65; 4.3.10.b** (also see testing)
- software use (preparing for) **5.12**
 - software usability reviews **E.4.9**
- Software User Manual (SUM) **5.12.3, 5.12.3.1, SUM; 5.66; Fig 7, Fig 8** (also see Software Center Operator Manual, Software Input/Output Manual)
- Software Version Description (SVD) **5.12.2, 5.13.3, SVD; 5.75; Fig 7, Fig 8** (also see version/revision/release)
- source code, source files **5.7.1, 5.13.2, SPS 3.2; 5.37, 5.67**
 - delivery of source files **SPS 3.2**
- standardization documents related to MIL-STD-498 **Fig 2; 4.15; 4.3.15**
- standards for software products **4.2.2; 5.68, 5.71.3** (also see code standards)
- Statement of Work (SOW) **4.12.b, 5.10, 5.69; 4.3.1.b, Fig 9, 5.4.9**
- subcontractor, subcontractor management **5.19.4; 4.12.a, 5.70; 4.3.1.a, Fig 9**
- subsystem (see system/subsystem)
- support (of software) (see software support, software transition planning)
- system **5.71** (also see operational concept)
 - interpretation of "system" in MIL-STD-498 **1.2.4.1**
 - system architectural design **5.4.2; 5.4**
 - system design **3.17, 5.4; 5.71**
 - system qualification testing **3.28, 5.11, 5.11.5, STD, STP, STR; 5.38**
 - system requirements **5.3.3; 5.41** (also see Interface Requirements Specification (IRS), System/Subsystem Specification (SSS))
 - system requirements analysis **5.3; 5.41**
 - system test planning **5.1.3, STP**
 - system-wide design decisions **5.4.1; 5.72**
- systems engineering **4.3.5**
- system/subsystem **4.9.a, 5.71**
- System/Subsystem Design Description (SSDD) **5.4.1, 5.4.2, 5.13.5, SSDD; 5.71; Fig 7, Fig 8**
- system/subsystem design reviews **E.4.4**
- system/subsystem requirements reviews **E.4.3**
- System/Subsystem Specification (SSS) **5.3.3, SSS; 5.71; Fig 7, Fig 8**
- tailoring MIL-STD-498 and its DIDs **1.2.3, 6.5, H.6; 4.13; 4.3.17, 5.3, 5.4.7, 5.4.8, 5.4.9, 5.4.12**
 - tailoring worksheets **5.4.7, Appendix C**
 - what is tailoring? **5.3.1**
 - when is tailoring performed? **5.3.3, Fig 32**
 - who performs tailoring? **5.3.4**
 - why tailor? **5.3.2**
- target computer system **5.9.2, 5.11.2**
- testing **STD, STP, STR; 5.38, 5.72**
 - CSCI/HWCI integration and testing **5.10**
 - CSCI qualification testing **3.28, 5.9, 5.9.5, STD, STP, STR; 5.38**
 - developer-internal testing **5.50, 5.73**
 - dry run of qualification testing **5.9.4, 5.11.4**
 - revision and retesting **5.7.4, 5.8.3, 5.9.6, 5.10.3, 5.11.6**
 - Software Test Description (STD) **5.9.3, 5.11.3, STD; 5.38; Fig 7, Fig 8**
 - software test environment **3.43, 5.2.2; 4.10.4, 5.38, 5.63**
 - software test planning, Software Test Plan (STP) **5.1.2, 5.1.3, STP; 5.38; Fig 7, Fig 8, 4.3.18**
 - Software Test Report (STR) **5.9.7, 5.11.7, STR; 5.38; Fig 7, Fig 8**
 - system qualification testing **3.28, 5.11, 5.11.5, STD, STP, STR; 5.38**
 - target computer system (testing on) **5.9.2, 5.11.2**
 - test readiness reviews **E.4.7**
 - test results reviews **E.4.8**
 - unit integration and testing **5.8; 5.72**
 - unit testing **5.7; 5.72**
- traceability **5.74**
- transition (of software) (see software transition)
- translation **3.29; 5.40.1**
- unit, unit testing, unit integration and testing (see software unit, testing)
- user manuals (see Software User Manual)
- user organization/personnel **4.12.a; 4.3.1.a, Fig 9**
- version/revision/release **SVD; 5.75** (also see Software Version Description)
- waivers (see DoD policy)
- work products, natural work products, real work products **5.48; 4.3.4, 4.3.14**