

INDEX

This index covers the MIL-STD-498 Overview and Tailoring Guidebook. Entries in bold indicate primary sources of information about an index item. Subordinate (lower level) paragraph references are omitted for index item that occur throughout a section. The entry "et al." indicates that an index item (such as "software") appears too frequently to cite all references.

- acceptance **3.1**, 4.3.9.b, 4.3.9.c
- access for acquirer review Fig 5, 4.3.3, 5.4.17.d, **5.4.18.e**, Fig 57, Fig 59
- acquirer (use of term "acquirer" in MIL-STD-498) 1.2.1, **3.2**, **4.3.1.a**, **Fig 9**, Fig 25
 - acquirer visibility into the evolving software 5.4.17.d, Fig 57
- acquisition strategies (see program strategies)
- acronyms **Appendix A**
- application of MIL-STD-498 **5**, 5.2, **5.4**
- approval (by the acquirer) **3.3**, 4.3.18.b
- architecture **3.4** (also see CSCI architectural design, system architectural design)
- "as built" design descriptions Fig 16, 5.4.4.c
- associate developer **3.5**, Fig 6, Fig 49
- audits Fig 2, Fig 6, **4.3.3**, Fig 49, 5.4.18.g, Fig 59
- Automated Information System (AIS) 4.1.1.a, 4.1.1.b, 4.3.11.a, Fig 25
- behavioral design **3.6**, 4.3.9.c, Fig 16 (also see CSCI-wide design decisions, system-wide design decisions)
- builds **3.7**, Fig 4, **4.3.2.b**, Fig 10, 4.3.17, 5.4.2.a, 5.4.3.a, Fig 34, 5.4.5, **5.4.6**, Fig 42, Fig 43, Fig 44, **5.4.7**, Fig 45, 5.4.8, Fig 47, 5.4.18.c, Fig 61
 - example of build planning for a MIL-STD-498 project Fig 44
- category classifications for problem reporting Fig 4
- coding (see software implementation and unit testing)
- coding standards Fig 5, Fig 16
- commercialization of MIL-STD-498 5.1
- compilers, compilation/build procedures **3.38**, Fig 16
- computer-aided software engineering (CASE) Fig 2, **3.38**, **4.3.4**, 5.4.13.a
- computer center, software center (see Software Center Operator Manual)
- computer hardware resource utilization Fig 5, Fig 49
- Computer Operation Manual (COM) Fig 6, **Fig 7**, **Fig 8**, Fig 27, Fig 28
- computer program **3.10**, Fig 20, Fig 25
- Computer Programming Manual (CPM) Fig 6, **Fig 7**, **Fig 8**, Fig 27, Fig 28, 5.4.4.c
- computer software components (CSCs) 4.3.10.a, Fig 25
- Computer Software Configuration Item (CSCI) **3.12**, **4.3.10**, Fig 25, 5.4.14
 - CSCI architectural design Fig 6, Fig 16, 4.3.9.c, 4.3.10.c, Fig 51
 - CSCI detailed design Fig 6, Fig 16, 4.3.9.c, 4.3.10.b, Fig 51
 - CSCI qualification testing Fig 6
 - CSCI requirements Fig 6
 - CSCI-wide design decisions Fig 6, Fig 51 (also see behavioral design)
- computer software units (CSUs) 4.3.10.a, Fig 25
- configuration item **3.13**
- configuration management (see software configuration management)
- contract **4.3.1**, **Fig 9**, Fig 15, **5.2**, Fig 29, 5.3.3.f, Fig 31, 5.4.10
 - monitoring contract performance **5.4.18**
 - ordering delivery of software as a contract line item number (CLIN) 4.3.4.b, 4.3.16
- Contract Data Requirements List (CDRL) Fig 2, **Fig 9**, **4.3.1.b**, 4.3.4.b, 5.4.12.b, 5.4.12.c, 5.4.13.a, 5.4.13.b, Fig 53, 5.4.14, 5.4.15, Fig 55, 5.4.16.c, 5.4.17.a, Fig 56
 - ordering software via the CDRL **4.3.16**
 - preparing the CDRL **5.4.15**
 - sample CDRL wording for combining deliverables Fig 53
 - scheduling deliverables 5.4.14
- contracting agency (see acquirer)
- contractor (see developer)
- corrective action, corrective action system Fig 6, Fig 22, Fig 59
- cost
 - cost avoidance 5.3.2.b
 - cost-effectiveness Fig 15, 4.3.17.a, 5.3.1.a, 5.3.2.a, 5.3.2.d, 5.3.3.b
 - software support cost 5.3.2
- critical requirements Fig 5, Fig 49
- Data Item Description (DID) Fig 2, Fig 3, 4.2, 4.3.4.a, 4.3.4.b, **Fig 12**, 5.4.13
 - alternative locations (DIDs) for deliverable information 5.4.12, **Fig 53**
 - combining (consolidating) deliverables 5.4.13.b, Fig 52, Fig 53
 - ordering software via the CDRL Fig 2, **4.3.16**
 - overview of the MIL-STD-498 DIDs **4.2.4**, **Fig 8**
 - tailoring DIDs **5.3.1**, Fig 30, **5.4.8**, Fig 48, 5.4.9, Fig 50
 - using DIDs as activity checklists 5.4.8
- data rights Fig 49, Fig 59
- database **3.14**, **3.15**, Fig 2, **4.3.11**, Fig 20, Fig 51
 - ordering databases via the CDRL 4.3.16

INDEX

- database design, Database Design Description (DBDD)
 - [Fig 7](#), [Fig 8](#), [Fig 27](#), [Fig 28](#), [Fig 52](#)
- definitions of terms [3](#)
- deliverables, deliverable software products [3.16](#), [Fig 4](#), [Fig 6](#), [4.3.4.b](#), [Fig 12](#), [4.3.14](#), [5.4.5](#), [5.4.10](#), [5.4.11](#), [Fig 49](#), [Fig 50](#), [5.4.12](#), [5.4.13](#), [5.4.14](#), [5.4.18.b](#)
 - alternative locations (DIDs) for deliverable information [5.4.12.c](#), [Fig 51](#)
 - combining (consolidating) deliverables [5.4.13.b](#), [Fig 52](#), [Fig 53](#)
 - scheduling deliverables [5.4.14](#)
 - sequential versus incremental/overlapping delivery of software products [5.4.14](#), [Fig 54](#)
- deployment [Fig 25](#)
- design [3.17](#), [Fig 2](#), [Fig 5](#), [Fig 6](#), [Fig 16](#), [4.3.9](#), [Fig 17](#), [4.3.10](#) (also see "as built" design description, behavioral design, CSCI architectural design, CSCI detailed design, CSCI-wide design decisions, Database Design Description, Interface Design Description, software design, Software Design Description, system architectural design, System/Subsystem Design Description, system-wide design decisions)
 - design information [5.4.4.c](#)
 - design standards [Fig 5](#), [Fig 16](#)
 - detailed requirements of MIL-STD-498 [4.2.3](#)
 - developer (use of "developer" in MIL-STD-498) [3.18](#), [4.3.1.a](#), [Fig 9](#), [Fig 25](#)
 - developmental configuration [4.3.14](#)
 - documentation [3.19](#), [Fig 2](#), [4.3.4.a](#), [4.3.4.b](#), [Fig 12](#) (also see Data Item Description)
 - DoD policy [4.1.3.a](#), [4.3.16.b](#), [5.1](#), [5.2](#), [Fig 30](#), [Fig 31](#)
 - DOD-STD-1703 [2.1.1](#), [4.1.1.c](#)
 - DOD-STD-2167A [2.1.1](#), [Fig 4](#), [4.1.1.a](#), [4.1.1.c](#), [4.4](#)
 - issues identified in applying DOD-STD-2167A [4.1.2](#), [Fig 2](#)
 - mapping between MIL-STD-498 DIDs and DOD-STD-2167A DIDs [4.4](#), [Fig 27](#), [Fig 28](#)
 - mapping of key MIL-STD-498 terms to DOD-STD-2167A [4.4](#), [Fig 25](#)
 - DOD-STD-2168 [2.1.1](#), [4.3.13](#)
 - mapping between DOD-STD-2168 and MIL-STD-498 [Appendix B](#)
 - DOD-STD-7935A [2.1.1](#), [Fig 4](#), [4.1.1.a](#), [4.1.1.c](#), [4.4](#)
 - mapping between MIL-STD-498 DIDs and DOD-STD-7935A DIDs [4.4](#), [Fig 26](#), [Fig 28](#)
 - mapping of key MIL-STD-498 terms to DOD-STD-7935A [4.4](#), [Fig 25](#)
 - DoDI 5000.2 [2.1.2](#), [4.1.3.a](#), [4.3.2.a](#), [5.3.2](#), [5.4.2](#)
 - DoDI 8120.2 [2.1.2](#), [4.1.3.a](#), [4.3.2.a](#), [5.4.2](#)
- error reporting (see problem reporting)
- evaluation [3.20](#) (also see Independent Verification and Validation, reusable software products, software product evaluation, software development planning - evaluating SDPs, software quality assurance, acquirer visibility into the evolving software)
- Evolutionary program strategy [Fig 2](#), [4.3.2.a](#), [5.4.2.a](#), [Fig 33](#), [Fig 35](#), [5.4.3.b](#), [Fig 39](#), [5.4.6.b](#)
- executable software [Fig 6](#), [Fig 49](#)
 - ordering executable software via the SPS DID [4.3.16.b](#)
- firmware [3.21](#)
- Firmware Support Manual (FSM) [Fig 6](#), [Fig 7](#), [Fig 8](#), [Fig 27](#), [Fig 28](#), [5.4.4.c](#)
- formal reviews and audits [Fig 2](#), [4.3.3](#), [5.4.18.g](#), [Fig 59](#)
- functional decomposition [4.3.10.a](#)
- general requirements of MIL-STD-498 [4.2.2](#)
- Grand Design program strategy [4.3.2.a](#), [5.4.2.a](#), [Fig 33](#), [Fig 35](#), [5.4.3.b](#), [Fig 37](#), [5.4.6.b](#)
- Hardware Configuration Item (HWCI) [3.22](#)
- hardware-software systems [4.3.5](#), [Fig 13](#), [Fig 25](#), [5.4.1.a](#)
- implementation (see software implementation and unit testing)
- in-process and final software products [5.4.18.a](#)
- Incremental program strategy [Fig 2](#), [4.3.2.a](#), [5.4.2.a](#), [Fig 33](#), [Fig 35](#), [5.4.3.b](#), [Fig 38](#), [5.4.6.b](#)
- Independent Verification and Validation (IV&V) [3.23](#), [Fig 6](#), [Fig 49](#)
- installation [Fig 25](#), [Fig 49](#)
- interface [3.24](#), [Fig 51](#)
 - interface design, Interface Design Description (IDD) [Fig 7](#), [Fig 8](#), [Fig 26](#), [Fig 27](#), [Fig 28](#), [Fig 51](#)
 - interface requirements, Interface Requirements Specification (IRS) [Fig 7](#), [Fig 8](#), [Fig 26](#), [Fig 27](#), [Fig 28](#), [Fig 51](#)
- joint technical and management reviews [3.25](#), [Fig 4](#), [Fig 6](#), [4.3.3](#), [5.4.8.e](#), [5.4.11.a](#), [5.4.18.a](#), [5.4.18.g](#), [Fig 58](#)
- key decisions (recording rationale for key decisions) [Fig 5](#), [Fig 16](#)
- maintenance (see software support)
- management indicators (see software management indicators)
- metrics (see software management indicators)
- mission critical computer resources (MCCR) [4.1.1.b](#)

INDEX

- MIL-STD-498
 - commercialization of MIL-STD-498 5.1
 - key concepts of MIL-STD-498 [4.3](#)
 - objectives of MIL-STD-498 [4.1](#)
 - organization of MIL-STD-498 [4.2.1](#), [Fig 4](#)
 - overview of MIL-STD-498 [4.2](#)
 - overview of MIL-STD-498's detailed requirements [4.2.3](#), [Fig 6](#)
 - overview of MIL-STD-498's general requirements [4.2.2](#), [Fig 5](#)
 - overview of the MIL-STD-498 DIDs [4.2.4](#), [Fig 7](#), [Fig 8](#)
- non-deliverable software products [3.26](#), [Fig 6](#), [4.3.4.b](#), [Fig 12](#), [5.4.5.a](#), [5.4.7.d](#), [Fig 59](#)
- non-hierarchical methods [Fig 2](#), [4.3.10](#)
- object-oriented methods [Fig 2](#), [4.3.10](#)
- operational concept, Operational Concept Description (OCD) [Fig 6](#), [Fig 7](#), [Fig 8](#), [Fig 26](#), [Fig 27](#), [Fig 28](#)
- ordering software (see software - guidance on how to order software)
- packaging, packaging requirements [Fig 6](#)
- participate (in system-level activities) [4.3.5.b](#)
- planning (see project planning, software development planning, software installation planning, software transition planning, testing - software test planning)
- policy (see DoD policy)
- priority classifications for problem reporting [Fig 4](#)
- privacy [Fig 5](#), [Fig 6](#), [Fig 49](#)
- problem reporting, problem/change reports [Fig 4](#), [Fig 6](#), [Fig 59](#)
- process improvement [Fig 6](#)
- program (computer program) [3.10](#), [Fig 20](#), [Fig 25](#)
- program strategies [Fig 4](#), [4.3.2.a](#), [5.4.1](#), [5.4.2](#), [Fig 33](#), [Fig 34](#), [Fig 35](#), [5.4.3](#), [Fig 37](#), [Fig 38](#), [Fig 39](#), [5.4.6](#)
- programming languages [Fig 49](#)
- project planning [Fig 6](#), [4.3.18](#)
- proposals [5.4.16](#)
- prototypes [4.3.2.b](#), [5.4.7.c](#), [5.4.18.c](#)
- qualification testing [3.28](#), [Fig 6](#), [4.3.9.c](#), [Fig 24](#), [Fig 49](#), [5.4.18.d](#) (also see testing)
- quality assurance (see software quality assurance)
- reengineering [3.29](#), [Fig 2](#), [4.3.7](#), [Fig 15](#), [5.4.3.b](#), [Fig 40](#)
- release (of software) (see Software Version Description, version/revision/release)
- request for proposal (RFP) [5.2](#), [5.3.3](#), [5.4.16.a](#), [5.4.17.a](#), [5.4.17.e](#), [Fig 31](#)
- requirements [3.30](#), [Fig 2](#), [4.3.9](#), [Fig 17](#), [4.3.15](#) (also see Software Requirements Specification, System/Subsystem Specification)
 - MIL-STD-498 "shell" requirements [5.4.10](#), [Fig 49](#)
- resource utilization (see computer hardware resource utilization)
 - reviews (see formal reviews and audits, joint technical and management reviews)
 - revision and retesting [Fig 6](#) (also see Software Version Description, version/revision/release)
 - reuse, reusable software products [3.31](#), [Fig 2](#), [Fig 4](#), [Fig 6](#), [4.3.7](#), [Fig 15](#), [5.4.5](#), [Fig 49](#)
 - risk management, risk analysis [Fig 6](#), [4.3.3.b](#), [5.3.2.d](#), [Fig 35](#), [5.4.2.b](#), [5.4.18.g](#)
 - safety [Fig 5](#)
 - schedules
 - guidance on scheduling deliverables [5.4.14](#)
 - impact of tailoring on schedules [5.3.2.c](#), [5.3.2.d](#)
 - schedule feasibility evaluation [5.4.17.c](#)
 - security [Fig 5](#), [Fig 6](#), [Fig 49](#)
 - software [3.32](#), [Fig 20](#), et al.
 - guidance on how to order software [Fig 2](#), [4.3.16](#)
 - software types [4.3.17.a](#), [5.4.5](#), [5.4.6.d](#), [5.4.7.d](#), [5.4.8.d](#)
 - Software Center Operator Manual (SCOM) [Fig 6](#), [Fig 7](#), [Fig 8](#), [Fig 26](#), [Fig 28](#)
 - software configuration management [Fig 2](#), [Fig 6](#), [4.3.14](#), [Fig 24](#)
 - configuration audits [Fig 6](#), [Fig 49](#)
 - configuration control, author control, project-level control, acquirer control [Fig 6](#), [4.3.14.b](#)
 - software design, Software Design Description (SDD) [Fig 7](#), [Fig 8](#), [4.3.9](#), [Fig 17](#), [4.3.10](#), [Fig 26](#), [Fig 27](#), [Fig 28](#), [Fig 51](#) (also see design)
 - software development (definition) [3.33](#)
 - software development environment [Fig 6](#)
 - software development files (SDF) [3.34](#), [Fig 6](#), [5.4.4.c](#)
 - software development library (SDL) [3.35](#), [Fig 6](#), [Fig 59](#)
 - software development methods [Fig 5](#), [4.3.10](#)
 - software development planning, Software Development Plan (SDP) [Fig 7](#), [Fig 8](#), [4.3.6.b](#), [4.3.10.c](#), [Fig 19](#), [4.3.18](#), [4.4.5.b](#), [5.2](#)
 - evaluating SDPs [5.4.17](#)
 - including SDP preparation in Instructions to Bidders [5.4.16](#), [Fig 56](#)
 - requiring adherence to the SDP [5.4.16.d](#)
 - software development process [3.36](#), [Fig 5](#), [4.3.6](#)
 - software engineering [3.37](#)
 - software engineering environment [3.38](#), [Fig 6](#), [5.4.5.a](#), [Fig 59](#)
 - software implementation and unit testing [Fig 6](#), [4.3.11.b](#), [Fig 25](#)
 - Software Input/Output Manual (SIOM) [Fig 6](#), [Fig 7](#), [Fig 8](#), [Fig 26](#), [Fig 28](#)
 - software installation planning, Software Installation Plan (SIP) [Fig 6](#), [Fig 7](#), [Fig 8](#), [Fig 26](#), [Fig 28](#), [4.3.18](#), [Fig 49](#)
 - software maintenance (see software modification, software support)
 - software management indicators [Fig 2](#), [Fig 4](#), [Fig 6](#), [4.3.6](#), [Fig 14](#)

INDEX

- software modification Fig 2, [4.3.7](#), [Fig 15](#), Fig 16, 5.4.5 (also see software support)
- software products [3.16](#), [3.26](#), [3.31](#), [3.39](#), Fig 6, 4.2.4, Fig 7, Fig 8, [Fig 12](#), Fig 15, 5.4.7, Fig 46, 5.4.8, [5.4.11](#), Fig 50, 5.4.12, Fig 52, et al.
- software product evaluation Fig 2, Fig 4, Fig 6, [4.3.12](#), [4.3.13](#), Fig 22, 5.3.2.a, 5.4.18.b, Fig 59
- Software Product Specification (SPS) [Fig 7](#), [Fig 8](#), 4.3.16.b, Fig 26, Fig 27, Fig 28
 - ordering executable code and source files via the SPS DID 4.3.16.b
- software quality [3.40](#)
- software quality assurance Fig 2, Fig 6, [4.3.13](#), Fig 22, Fig 24, [Appendix B](#), Fig 59
- software requirements, Software Requirements Specification (SRS) Fig 2, Fig 6, [Fig 7](#), [Fig 8](#), [4.3.9](#), [Fig 17](#), Fig 26, Fig 27, Fig 28
 - software requirements analysis Fig 6
- software support [3.41](#), Fig 2, [4.3.8](#), [Fig 16](#), Fig 25, 5.3.2, [5.4.4](#), 5.4.17.e (also see software modification)
 - support agency Fig 5, Fig 6, [4.3.1.a](#), [Fig 9](#), 4.3.8.b, Fig 16, 4.3.18, 5.3.4.a, Fig 32, 5.4.4, Fig 36, Fig 49, 5.4.17.e
 - support concept [5.4.4](#), 5.4.7.g, Fig 46, Fig 49, 5.4.17.e
 - support manuals Fig 26, 5.4.4.c
 - support site Fig 6, Fig 49
- software systems [3.42](#), [4.3.5](#), [Fig 13](#), Fig 25, 5.4.1.a
- software testing (see testing)
- software transition [3.44](#), Fig 6, 4.3.8.b, 5.4.4.b, Fig 36, 5.4.4.c
 - software transition planning, Software Transition Plan (STrP) Fig 6, [Fig 7](#), [Fig 8](#), Fig 16, [4.3.18](#), Fig 26, Fig 27, Fig 28, 5.4.4.c
- software unit [3.45](#), Fig 6, [4.3.10.b](#), Fig 18, Fig 25, 5.14.4.a, et al.
- Software User Manual (SUM) Fig 6, [Fig 7](#), [Fig 8](#), Fig 26, Fig 27, Fig 28
- Software Version Description (SVD) Fig 6, [Fig 7](#), [Fig 8](#), Fig 27, Fig 28 (also see version/revision/release)
- source code, source files Fig 6, Fig 49
 - ordering source files via the SPS DID 4.3.16.b
- standardization documents related to MIL-STD-498 Fig 2, [4.3.15](#), 5.3.3.d
- standards for software products Fig 5, Fig 16, 5.4.17.a
- Statement of Work (SOW) [4.3.1.b](#), [Fig 9](#), [5.4.9](#), Fig 48, 5.4.17
- status reports 5.4.18.f
- subcontractor, subcontractor management Fig 6, [4.3.1.a](#), [Fig 9](#)
- support (of software) (see software support, software transition planning)
- system (also see operational concept)
 - system architectural design Fig 6, 4.3.9.c, Fig 51
 - system requirements, system requirements analysis Fig 6
- System/Subsystem Design Description (SSDD) [Fig 7](#), [Fig 8](#), Fig 26, Fig 27, Fig 28, Fig 51
- System/Subsystem Specification (SSS) [Fig 7](#), [Fig 8](#), 4.3.9.c, Fig 26, Fig 27, Fig 28
- system-wide design decisions Fig 6, 4.3.9.c, Fig 51 (also see behavioral design)
- systems engineering Fig 2, [4.3.5](#)
- tailoring MIL-STD-498 and its DIDs Fig 4, [4.3.17](#), [5.3](#), 5.4.4.a, 5.4.5.a, 5.4.6, [5.4.7](#), Fig 45, Fig 46, [5.4.8](#), Fig 47, [5.4.9](#), Fig 48, Fig 50, [5.4.12](#)
- self-tailoring 5.4.10.a
- tailoring worksheets 5.4.6.d, [5.4.7](#), Fig 45, 5.4.8.c, 5.4.9.a, [Appendix C](#), Fig 60, Fig 61
- what is tailoring? [5.3.1](#)
- when is tailoring performed? [5.3.3](#), Fig 31, [Fig 32](#)
- who performs tailoring? [5.3.4](#)
- why tailor? [5.3.2](#)
- testing
 - CSCI/HWCI integration and testing Fig 6
 - CSCI qualification testing [3.28](#), Fig 6, 4.3.9.c, Fig 24, Fig 49, 5.4.18.d
 - developer-internal testing 4.3.9.c, 5.4.4.c
 - independence in qualification testing Fig 6
 - Software Test Description (STD) [Fig 7](#), [Fig 8](#), Fig 26, Fig 27, Fig 28
 - Software Test Report (STR) [Fig 7](#), [Fig 8](#), Fig 26, Fig 27, Fig 28
 - software test environment [3.43](#), Fig 6, 5.4.5.a, Fig 59
 - software test planning, Software Test Plan (STP) [Fig 7](#), [Fig 8](#), [4.3.18](#), Fig 26, Fig 27, Fig 28
 - system qualification testing [3.28](#), Fig 6, 4.3.9.c, Fig 24, Fig 49, 5.4.18.d
 - unit integration and testing Fig 6
 - unit testing Fig 6
 - witnessed testing 5.4.18.d
- training Fig 6, 5.4.4.c, Fig 49, 5.4.17.e
- transition (of software) (see software transition)
- user organization/personnel [4.3.1.a](#), [Fig 9](#), 5.3.4.a, Fig 32
- version/revision/release [3.7](#), Fig 6, Fig 8 (also see Software Version Description)
- waivers (see DoD policy)
- work products, natural work products, real work products Fig 2, 4.3.3.a, 4.3.3.b, [4.3.4](#), [4.3.14](#), 5.4.11.a, 5.4.13.a